

Isles of Scilly

10 - 17 May 2008

Leaders:

Phil Read

Will Wagstaff

DAILY DIARY

Saturday 10 May

Sadly the sea fog between Scilly and the mainland played havoc with our flight arrangements with the end result that by the end of the day only Anne had reached the islands and attended my Saturday night 'Wildlife on Scilly' slideshow.

Sunday 11 May

The fog was not finished with us yet and remained thick enough to stop the rest of the group reaching Scilly. A walk around Marazion marsh and a trip to the Lizard peninsular were pleasant and the Honey Buzzard and Choughs were some compensation.


Anne and I walked around Peninnis Head and had lunch overlooking Old town Bay before wandering through the Lower Moors Nature trail before heading towards Telegraph then back to Hugh Town around the Golf Course. We saw Woodchat Shrike and Short-toed Lark on Peninnis along with some Golden Plover and a very noisy Cuckoo. An immature Iceland Gull was on the Golf Course and a Shelduck was on Porth Loo. Butterflies were flying well this afternoon with Clouded Yellow and Painted Lady seen along with Holly Blue and many more.



Monday 12 May

Thankfully the fog had thinned so most of the group reached the islands in time to get to the guest house and then to the quay for the morning boat to Tresco with Andrew completing the group when he reached Tresco at lunchtime. We spent the morning walking along the Abbey Drive past the Great and then Abbey Pools. Chiffchaff, Blackcap and Goldcrest were seen and heard singing in the larger trees. A scattering of ducks and Mute Swans were on the ponds along with a roosting group of gulls. Close to the Abbey Pool we found a small

clump of the very rare Orange Birdsfoot flowering in a patch of its more numerous relative the Common Birdsfoot. We had lunch overlooking Pentle Bay where we added Whimbrel and Dunlin to the bird list.



The afternoon was spent exploring the world famous Abbey Gardens in glorious sunshine which was to the liking of the many butterflies making the most of the abundant flowers. These included a Comma, a rare species on Scilly.

This evening we set sail on the 'Shearwater Special' towards the west of St Agnes. Some superb summer plumaged Great Northern Divers showed well as did the more expected Guillemots. We found Puffins close the island of Melledgan where a small group of Purple Sandpipers were feeding at the waters edge. Having returned to the north of Annet on a calm evening we found a small flock of Manx Shearwaters that eventually showed well in the fading light. A small group of Common Terns were roosting on one of the buoys as we

returned to Hugh Town after a busy day.

Tuesday 13 May

The morning was spent cruising around the islands looking for the sea and shorebirds of Scilly on the 'Seabird Special' boat trip. We found a wide variety of species from Whimbrels to Turnstones to Puffins and many more including a distant Marsh Harrier and a pair of Peregrines. The later were seen making a food pass only a few feet above the boat at one point.

We spent the afternoon on Bryher where Swallows and House Martins were playing in the updrafts only to be moved on by a passing Hobby that showed very well. The three Tree Pipits we found did not show as well but at least they did sit in trees! At the southern end of the island we found some Spring Squill in bloom before searching for and finding some examples of the very rare Dwarf Pansy. This delightful flower is very scarce this year so four plants was a good total.

Two Turtle Doves we found in the flower fields would not stay still for long as we wandered up the east side of the island but we did find some good examples of Common Broomrape in the hedgerows.

The boat trip back took us past one of the visiting cruise ships anchored in the bay and we could see a distant Iceland Gull on the golf course as we neared the harbour.

Wednesday 14 May

St Agnes was our destination today where the islands lone Hooded Crow was found only a few yards from the quay. A Hobby very nearly caught a Blackbird a few yards in front of us which gave us a superb view of this elegant falcon. A small group of Swallows flying low over the cricket pitch were joined by the rare Red-



rumped Swallow that had been found recently. This bird showed very well as it zoomed low over the grass. Western Clover and Chamomile were soon added to the plant list as we walked around the pool area.

A small group of Whimbrel were noted close to the campsite and the male Cuckoo was still singing, later to be seen with another bird. The birds of the afternoon were the four Cattle Egrets that were perching in the flower field hedges which we saw from Wingletang Down. Not far from here we found some more Orange Birdsfoot growing at our feet whilst later in the day a Peregrine Falcon was circling over the island.

Thursday 15 May

Having caught the bus to the top of St Mary's we started our day by exploring the Bronze Age burial chambers and ancient village at Bant's Carn. A Whitethroat was singing as we wandered along the coast but the most fluid song of the day belonged to the male Golden Oriole that we heard at Argimore Pools. We could not find this elusive species but did see Garden Warbler, Sedge Warbler and Chiffchaff.

Three Little Egrets were on Porth Hellick Pool as we arrived, having walked down through the largest Elms on Scilly in Holy Vale. We then followed the coast path past the Iron Age Hill fort at Giants Castle where a kestrel was found roosting and then to Old Town where we found the rare red form of Small-flowered Catchfly and finally back to Hugh Town via the Lower Moors trail where a Greenshank was feeding in front of the hide.



Friday 16 May

Soon after landing on St Martins we found a small flock of Sanderling at the waters edge, some which were staring to show the rich colours of their summer plumage. A male Cuckoo was singing from the high points of the island above which a group of House Martins were hawking along with the occasional Swift.

Having explored the cultivated side of the island we crossed to the more open, wilder, north side of the island making our way out onto the Chapel Down. Visiting some of the archaeological sites on the way. We stopped for a while looking out to sea in case there were some fins to see but had to make do with a scattering of Fulmars and Kittiwakes on the water below. On the way back to Higher Town a Spotted Flycatcher made a brief appearance on the flowering Gorse.



BIRD LIST

| | | |
|------------------------------|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Great Northern Diver | <i>Gavia immer</i> | One was seen near Tresco on 12 th and seven were seen on the evening boat trip that day. |
| Northern Fulmar | <i>Fulmarus glacialis</i> | Seen offshore or from boat trips on four dates. |
| Manx Shearwater | <i>Puffinus puffinus</i> | Eleven were seen from the evening Shearwater special on 12 th . |
| Northern Gannet | <i>Morus bassanus</i> | Seen offshore daily in small numbers |
| Cormorant | <i>Phalacrocorax carbo</i> | Small numbers were noted offshore daily. |
| Shag | <i>Phalacrocorax aristotelis</i> | Commonly seen offshore from all islands and boat trips. |
| Little Egret | <i>Egretta garzeta</i> | Two were on St Agnes on 14 th , three and a further single were on St Mary's on 15 th . |
| Cattle Egret | <i>Ardeola bubulcu</i> | Four were seen on St Agnes on 14 th . |
| Grey Heron | <i>Ardea cinerea</i> | Singles were on St Agnes on 14 th and St Mary's on 15 th . |
| Mute Swan | <i>Cygnus olor</i> | Several were on Tresco on 12 th . |
| Canada Goose | <i>Branta Canadensis</i> | Four were on Tresco on 12 th . |
| Common Shelduck | <i>Tadorna tadorna</i> | Small numbers were noted daily on all islands. |
| Gadwall | <i>Anas strepera</i> | Up to six were noted daily on all islands. |
| Mallard | <i>Anas platyrhynchos</i> | Common in pairs or small groups on all islands. |
| Common Kestrel | <i>Falco tinnunculus</i> | Two were on St Mary's on 11 th with singles on St Mary's on 15 th and 16 th . |
| Hobby | <i>Falco subbuteo</i> | Singles were seen on Bryher on 13 th and over St Agnes on 14 th . |
| Peregrine Falcon | <i>Falco peregrinus</i> | An immature was on St Mary's on 11 th ; a pair were on Round Island on 13 th and an immature was over St Agnes on 14 th . |
| Western Marsh Harrier | <i>Circus aeruginosus</i> | A male was seen over Tean from Seabird boat trip on 13 th . |
| Pheasant | <i>Phasianus colchicus</i> | Common on Tresco but also seen or heard on Bryher and St Mary's |
| Golden Pheasant | <i>Chrysolophus pictus</i> | A male of the introduced population was on Tresco on 12 th . |
| Red-legged Partridge | <i>Alectoris rufa</i> | Several of the recently introduced birds were |

| | | |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Moorhen | <i>Gallinula chloropus</i> | seen on Tresco and Bryher. Seen in small numbers on ponds on all islands except Bryher and St Agnes. |
| Coot | <i>Fulica atra</i> | Common on Tresco on 12 th and a few were on St Mary's on 15 th . |
| Oystercatcher | <i>Haematopus ostralegus</i> | Seen daily on all islands, breeding birds as well as flocks of non breeders. |
| Ringed Plover | <i>Charadrius hiaticula</i> | Up to two seen on all islands on four dates, except Tresco. |
| Golden Plover Whimbrel | <i>Pluvialis apricaria</i> <i>Numenius phaeopus</i> | Four northern birds were on St Mary's on 11 th . One was on Tresco, five from the seabird rip on 13 th and six were on St Agnes on 14 th . |
| Curlew | <i>Numenius arquata</i> | Thirteen were seen from the Seabird trip on 13 th and four were on St Agnes on 14 th . |
| Greenshank | <i>Tringa nebularia</i> | One was on Lower Moors, St Mary's on 15 th and 16 th . |
| Sanderling Purple Sandpiper | <i>Calidris alba</i> <i>Calidris maritima</i> | Thirty four were on St Martin's on 16 th . Three were on the Western Rocks seen from evening boat trip on 12 th . |
| Dunlin Turnstone | <i>Calidris alpina</i> <i>Arenaria interpres</i> | One was on Tresco on 12 th . One was seen on the Seabird trip on 13 th , four were on St Agnes on 14 th and one was on St Martin's on 16 th . |
| Great Black-backed Gull Herring Gull Iceland Gull | <i>Larus marinus</i> <i>Larus argentatus</i> <i>Larus glaucooides</i> | Seen in small numbers daily. Common, seen daily from all islands. One of the three birds present around Hugh Town were seen on 11 th , 13 th and 16 th with two seen on 14 th . |
| Lesser Black-backed Gull Black-headed Gull | <i>Larus fuscus graellsii</i> <i>Larus ridibundus</i> | Common, seen daily from all islands. One was on St Agnes on 14 th and two were on St Mary's on 16 th . |
| Kittiwake | <i>Rissa tridactyla</i> | Twelve were seen on the Seabird trip on 13 th and a few were seen from St Martins on 16 th . |
| Sandwich Tern | <i>Sterna sandvicensis</i> | Three were off Tresco on 12 th , one off Bryher on 13 th and two from St Mary's on 16 th . |
| Common Tern | <i>Sterna hirundo</i> | Up to twenty per day were noted around all islands. |
| Common Guillemot | <i>Uria aalge</i> | Ones and twos were noted most days apart from when breeding rocks visited on 13 th . |
| Razorbill Puffin | <i>Alca torda</i> <i>Fratercula arctica</i> | Small numbers noted daily between the islands. Three were seen on evening trip on 12 th and one from seabird trip on 13 th . |
| Stock Dove Feral Pigeon Wood Pigeon Turtle Dove Collared Dove | <i>Columba oenas</i> <i>Columba liverish</i> <i>Columba palumbus</i> <i>Streptopelia turtur</i> <i>Streptopelia decaocto</i> | One was seen in Holy Vale on 15 th . Common, seen daily. Small numbers seen daily on all islands. Two were on Bryher on 13 th . Common, seen daily in small numbers on all islands. |
| Cuckoo | <i>Cuculus canorus</i> | A maximum of four was seen or heard with birds noted on five dates. |
| Swift | <i>Apus apus</i> | Singles were on Tresco on 12 th , Bryher on 13 th with three on St Martin's on 16 th . |
| Short-toed Lark | <i>Calandrella brachydactyla</i> | One showed well on Peninnis Head, St Mary's on 11 th and 13 th . |
| Sand Martin Swallow | <i>Riparia riparia</i> <i>Hirundo rustica</i> | One was on St Mary's on 15 th . Seen daily on all islands, some evidence of |

| | | |
|---------------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Red-rumped Swallow | <i>Hirundo daurica</i> | passage as numbers fluctuated during the day. This great rarity showed well over the cricket pitch on St Agnes on 14 th . |
| House Martin | <i>Delichon urbica</i> | Small flocks noted on all islands. |
| Meadow Pipit | <i>Anthus pratensis</i> | Pairs were noted on St Mary's on 11 th and 13 th with singles noted on 14 th and 15 th . |
| Tree Pipit | <i>Anthus trivialis</i> | Three were on Bryher on 13 th and one on St Mary's on 15 th . |
| Rock Pipit | <i>Anthus petrosus</i> | Present around rocky shores on all islands. |
| White Wagtail | <i>Motacilla alba alba</i> | Two were on St Mary's on 15 th . |
| Pied Wagtail | <i>Motacilla alba yarrellii</i> | Singles were on St Mary's and Tresco on 12 th . |
| Wren | <i>Troglodytes troglodytes</i> | Commonly seen and especially heard on all islands throughout the week. |
| Dunnock | <i>Prunella modularis</i> | Present on all islands in small numbers. |
| Robin | <i>Erithacus rubecula</i> | Seen or heard in small numbers but absent from Bryher and St Agnes. |
| Stonechat | <i>Saxicola torquatus</i> | Pairs noted daily in suitable habitat. |
| Northern Wheatear | <i>Oenanthe oenanthe</i> | Up to four noted on the outer heaths or beaches on four dates. |
| Blackbird | <i>Turdus merula</i> | Common, seen daily. |
| Song Thrush | <i>Turdus philomelos</i> | Very common and very tame, seen daily. |
| Sedge Warbler | <i>Acrocephalus schoenobaenus</i> | Heard and seen on four dates in suitable habitat. |
| Reed Warbler | <i>Acrocephalus scirpaceus</i> | Seen and heard on five dates in reedbeds around the islands pools. |
| Blackcap | <i>Sylvia atricapilla</i> | Males were singing in wooded habitat on three dates and a female was noted on 15 th . |
| Garden Warbler | <i>Sylvia borin</i> | One was seen at Argimore Pools on 15 th . |
| Common Whitethroat | <i>Sylvia communis</i> | A male was heard singing on St Mary's on 15 th . |
| Willow Warbler | <i>Phylloscopus trochilus</i> | Heard singing on 14 th and 15 th . |
| Chiffchaff | <i>Phylloscopus collybita</i> | Seen and heard daily. |
| Goldcrest | <i>Regulus regulus</i> | Two were on Tresco on 12 th and one was heard in Holy Vale, St Mary's on 15 th . |
| Spotted Flycatcher | <i>Muscicapa striata</i> | One was on St Martin's on 16 th . |
| Great Tit | <i>Parus major</i> | Small numbers noted on all islands except Bryher. |
| Blue Tit | <i>Parus caeruleus</i> | Less common than previous species, also absent from Bryher. |
| Golden Oriole | <i>Oriolus oriolus</i> | A male was heard singing at Argimore Pools, St Mary's on 15 th . |
| Woodchat Shrike | <i>Lanius senator</i> | An immature male or female was on Peninnis Head, St Mary's on 11 th . |
| Carrion Crow | <i>Corvus corone</i> | Seen daily in low numbers on all islands. |
| Hooded Crow | <i>Corvus cornix</i> | The resident bird was on St Agnes on 14 th . |
| Starling | <i>Sturnus vulgaris</i> | Common on all islands. |
| House Sparrow | <i>Passer domesticus</i> | Common on all islands. |
| Chaffinch | <i>Fringilla coelebs</i> | Noted on all islands except where absent on Bryher. |
| Greenfinch | <i>Carduelis chloris</i> | Seen on all islands except St Agnes but never common. |
| Goldfinch | <i>Carduelis carduelis</i> | Seen in small numbers on all islands. |
| Linnet | <i>Carduelis cannabina</i> | Common, seen daily on all islands. |

ANIMALS

| | |
|---------------------------|------------------------------|
| Atlantic Grey Seal | <i>Haliochoerus grypus</i> |
| Rabbit | <i>Oryctolagus cuniculus</i> |

AMPHIBIANS

Common Frog *Rana temporaria*

BUTTERFLIES

Large White *Pieris brassicae*
Small White *Artogeia rapae*
Green-veined White *Artogeia napi*
Clouded Yellow *Colias croceus*
Small Tortoiseshell *Aglais urticae*
Comma *Polygonia c-album*
Red Admiral *Vanessa atlanta*
Peacock *Inachis io*
Painted Lady *Cynthia cardui*
Speckled Wood *Pararge aegeria insula*
Holly Blue *Celastrina argiolus*
Common Blue *Polyommatus icarus*
Small Copper *Lycaena phlaeas*

DAMSELFLIES AND OTHER INSECTS

Common Blue-tail *Ischnura elegans*
Oil Beetle *Meloe proscarabaeus*
Green Tiger Beetle *Cicindela campestris*

SELECTED PLANT LIST

| | |
|-----------------------------------------------------|-----------------------------------------------------------|
| Royal Fern <i>Osmunda regalis</i> | Spring Beauty <i>Montia perfoliata</i> |
| Bracken <i>Pteridium aquilinum</i> | English Catchfly <i>Silene gallica</i> |
| Maidenhair Fern <i>Adiantum capillus veneris</i> | English Catchfly <i>Silene gallica var quinquevulnera</i> |
| Lady Fern <i>Athyrium filix-femina</i> | Sea Campion <i>Silene maritima</i> |
| Male Fern <i>Dryopteris filix-mas</i> | Red Campion <i>Silene dioica</i> |
| Water Fern <i>Azolla filiculoides</i> | Common Mouse Ear <i>Cerastium fontanum</i> |
| Monterey Pine <i>Pinus radiata</i> | Sticky Mouse Ear <i>C. glomeratum</i> |
| Lodge Pole Pine <i>P. contorta</i> | Sea Mouse Ear <i>C. diffusum</i> |
| Monterey Cypress <i>Cupressus macrocarpa</i> | Common Chickweed <i>Stellaria media</i> |
| Creeping Buttercup <i>Ranunculus repens</i> | Greater Chickweed <i>S. neglecta</i> |
| Bulbous Buttercup <i>R. bulbosus</i> | Sea Sandwort <i>Honkenya peploides</i> |
| Lesser Spearwort <i>R. flammula subsp. flammula</i> | Rock Sea Spurrey <i>Spergularia rupicola</i> |
| Seaside Water Crowfoot <i>R. baudoti</i> | Corn Spurrey <i>S. arvensis</i> |
| Lesser Celandine <i>R. ficaria</i> | Japanese Knotweed <i>Fallopia japonica</i> |
| Smooth Long-headed Poppy <i>Papava. dubium</i> | New Zealand Wire Bush <i>Muehlenbeckia complexa</i> |
| Ramping Fumitory <i>Fumaria capreolata</i> | Sheep's Sorrel <i>Rumex acetosella</i> |
| Tall Ramping Fumitory <i>F. bastardii</i> | Common Sorrel <i>R. acetosa</i> |
| Few-flowered Fumitory <i>F. muralis ssp. boraei</i> | Curled Dock <i>Rumex crispus</i> |
| Common Elm <i>Ulmus procera</i> | Broad-leaved Dock <i>R. obtusifolius</i> |
| Fig <i>Ficus carica</i> | Thrift <i>Armeria maritima</i> |
| Pellitory of the Wall <i>Parietaria judaica</i> | Common Mallow <i>Malva sylvestris</i> |
| Mind-your-own-business <i>Soleirolla soleirolia</i> | Tree Mallow <i>Lavatera arborea</i> |
| Common Nettle <i>U. dioica</i> | Smaller Tree Mallow <i>Lavatera cretica</i> |
| Common Oak <i>Quercus robur</i> | Pale Wood Violet <i>Viola reichenbachiana</i> |
| Hottentot Fig <i>Carprobrutus edulis</i> | Heath Dog Violet <i>V. canina</i> |
| Sally-Me-Handsome <i>C. acinaciformis</i> | Dwarf Pansy <i>V. kitaibeliana</i> |
| Sea Beet <i>Beta maritime ssp.maritima</i> | Tamarisk <i>Tamarix gallica</i> |
| Common Orache <i>Atriplex patula</i> | Grey Sallow <i>Salix cinerea</i> |
| Halbert-leaved Orache <i>A. prostrate</i> | Wild Radish <i>Raphanus raphanistrum</i> |

| | |
|---------------------------------------------------------|---------------------------------------------------------|
| Sea Radish <i>R. maritimus</i> | Alexanders <i>Smyrniolum olusatrum</i> |
| Sea Kale <i>Crambe maritima</i> | Fools Watercress <i>Apium inundantum</i> |
| Common Scurvy Grass <i>Cochlearia officinalis</i> | Pignut <i>Conopodium majus</i> |
| Danish (Early) Scurvy Grass <i>C. danica</i> | Rock Samphire <i>Crithmum maritimum</i> |
| Lady's Smock (Cuckoo Flower) <i>Cardamine pratensis</i> | Hemlock Water Dropwort <i>Oenanthe crocata</i> |
| Hedge Mustard <i>Sisymbrium officinale</i> | Fennel <i>Foeniculum vulgare</i> |
| Rhododendron <i>Rhododendron ponticum</i> | Wild Angelica <i>Angelica sylvestris</i> |
| Ling <i>Calluna vulgaris</i> | Hogweed <i>Heracleum sphondylium</i> |
| Bell Heather <i>Erica cinerea</i> | Wild Carrot <i>Daucus carota</i> |
| Primrose <i>Primula vulgaris</i> | Greater Periwinkle <i>Vinca major</i> |
| Scarlet Pimpernel <i>Anagallis arvensis</i> | Bittersweet (Woody Nightshade) <i>Solanum dulcamara</i> |
| Karo <i>Pittosporum crassifolium</i> | Sea Bindweed <i>Calystegia soldanella</i> |
| Escallonia <i>Escallonia micrantha</i> | (Small) Bugloss <i>Anchusa arvensis</i> |
| English Stonecrop <i>Sedum anglicum</i> | Changing Scorpion Grass <i>Mysotis discolor</i> |
| Wall Pennywort <i>Umbellicus rupestris</i> | Tree Echium <i>E. pininana</i> . |
| Cliff Pasty <i>Aeonium sp.</i> | Water Mint <i>Mentha aquatica</i> |
| Blackberry <i>Rubus fruticosus</i> | Horse Mint <i>M. longifolia</i> |
| Silverweed <i>Potentilla anserina</i> | Ground Ivy <i>Glechoma hederacea</i> |
| Tormentil <i>P. erecta</i> | Woodsage <i>Teucrium scorodonia</i> |
| Hawthorn <i>Crataegus monogyna</i> | Great Plantain <i>Plantago major</i> |
| Tree Lupin <i>Lupinus arboreus</i> | Ribwort Plantain <i>P. lanceolata</i> |
| Common Gorse <i>Ulex europaeus</i> | Buck's Horn Plantain <i>P. coronopus</i> |
| Broom <i>Sarothamnus scoparius</i> | Wild Privet <i>Ligustrum vulgare</i> |
| Spotted Medick <i>Medicago arabica</i> | Ivy-leaved Toadflax <i>Cymbalaria muralis</i> |
| Bird's Foot Fenugreek <i>Trifolium ornithopodoides</i> | Balm-leaved Figwort <i>Scrophularia scorodonia</i> |
| Red Clover <i>T. pretense</i> | Foxglove <i>Digitalis purpurea</i> |
| Hare's Foot Clover <i>T. arvense</i> | Germander Speedwell <i>Veronica chamaedrys</i> |
| Subterranean Clover <i>T. subterraneum</i> | Common Speedwell <i>Veronica persica</i> |
| White Clover <i>T. repens</i> | Hedge Veronica <i>Hebe x franciscana</i> |
| Western Clover <i>T. occidentale</i> | Lousewort <i>Pedicularis sylvatica</i> |
| Hop Trefoil <i>T. campestre</i> | Eyebright <i>Euphrasia sp.</i> |
| Common Birdsfoot Trefoil <i>Lotus corniculatus</i> | Common Broomrape <i>Orobranche minor var. maritima</i> |
| Hairy Birdsfoot Clover <i>L. subbiflorus</i> | Bear'sbreech <i>Acanthus mollis</i> |
| Common Birdsfoot <i>Ornithopus perpusillus</i> | Sheep's Bit <i>Jasione montana</i> |
| Orange Birdsfoot <i>O. pinnatus</i> | Field Madder <i>Sherardia arvensis</i> |
| Hairy Tare <i>Vicia hirsute</i> | Cleavers <i>Galium aparine</i> |
| Common Vetch <i>V. sativa</i> | Tree Bedstraw <i>Coprosma repens</i> |
| White Peppermint Gum <i>Eucalyptus pulchella</i> | Elder <i>Sambucus nigra</i> |
| Euonymus (Evergreen Spindle) <i>Euonymus japonicus</i> | Honeysuckle <i>Lonicera periclymenum</i> |
| Holly <i>Ilex aquifolium</i> | Red Valerian <i>Centranthus ruber</i> |
| Portland Spurge <i>Euphorbia portlandica</i> | Groundsel <i>Senecio vulgaris</i> |
| Sea Spurge <i>E. paralias</i> | Hedge Ragwort <i>Brachyglottis repanda</i> |
| Heath Milkwort <i>Polygala serpyllifolia</i> | German Ivy <i>Delairea odorata</i> |
| Common Milkwort <i>P. vulgaris</i> | Winter Heliotrope <i>Petasites fragrans</i> |
| Sycamore <i>Acer psuedo-platanus</i> | Treasureflower <i>Gazania rigens</i> |
| Fleshy Yellow (Wall) Oxalis <i>Oxalis megalorrhiza</i> | Mexican Fleabane <i>Erigeron karvinskianus</i> |
| Pink Oxalis <i>O. articulata</i> | Daisy <i>Bellis perennis</i> |
| Bermuda Buttercup <i>O. pes-caprae</i> | New Zealand Daisy Bush <i>Olearia traversii</i> |
| Cut-leaved Cranesbill <i>Geranium dissectum</i> | Sweet Chamomile <i>Chamaemelum nobile</i> |
| Dove's Foot Cranesbill <i>G. molle</i> | Scentless Mayweed <i>Tripleurospermum maritimum</i> |
| Giant Herb Robert <i>G. Madarense</i> | Yarrow <i>Achillea millefolium</i> |
| Common Storksbill <i>Erodium cicutarium</i> | Corn Marigold <i>Chrysanthemum segetum</i> |
| Ivy <i>Hedera helix</i> | Lesser Burdock <i>Arctium minus</i> |
| Marsh Pennywort <i>Hydrocotyle vulgaris</i> | Lesser Hawkbit <i>Leonodon. saxatilis</i> |
| Sea Holly <i>Eryngium maritimum</i> | Corn Sowthistle <i>Sonchus arvensis</i> |
| Cow Parsley <i>Anthriscus sylvestris</i> | Common Dandelion <i>Taraxacum officinale</i> |

Lesser Water Plantain *Baldellia rannunculoides*
Bog Pondweed *Potamogeton polygonifolius*
Wild (Italian) Arum *Arum italicum ssp neglectum*
Arum Lily *Zantedeschia aethiopica*
Salt Marsh Rush *Juncus gerardii*
Toad Rush *J. bufonius*
Greater Tussock Sedge *Carex paniculata*
Sand Sedge *C. arenaria*
Reed *Phragmites communis*
Marram *Ammophila arenaria*
Rhodostachys (Pineapple Plant) *Fascicularia
pitcairniifolia*
Vernal Squill *Scilla verna*
Bluebell *Endymion non-scriptus*
Spanish Bluebell *E. hispanicus*
Babbington's Leek *Allium babbingtonii*
Rosy Garlic *A. roseum*
Three-cornered Leek *A. triquetrum*
Blue Lily *Agapanthus praecox*
Stinking Iris (Gladdon) *Iris foetidissima*
Yellow Flag *I. pseudacorus*
Montbretia *Crocosmia x crocosmiiflora*
Whistling Jacks *Gladiolus byzantinus*
Chilean Iris *Libertia formosa*
Tubular Corn Lily *Ixia paniculata*
Harlequin Flower *Sparaxis grandiflora*
New Zealand Flax *Phormium tenax*

**Will Wagstaff, Isles of Scilly
May 2008**

© The Travelling Naturalist, 2008